

L Number	Hits	Search Text	DB	Time stamp
2	5	((("4789819") or ("5359236") or ("4799176") or ("5433081") or ("5452335"))).PN.	USPAT	2004/06/14 06:46
-	1	("5838578").PN.	USPAT	2004/06/14 06:34
-	735	(716/1).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 13:02
-	3	716/1.ccls. and sensor and (stop\$6 or halt\$6 or interrupt\$6) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 13:04
-	34	716/\$.ccls. and sensor and (stop\$6 or halt\$6 or interrupt\$6) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 13:09
-	25766	(sensor same temperature) and (stop\$6 or halt\$6 or interrupt\$6) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 13:36
-	584	(sensor same temperature) and ((stop\$6 or halt\$6 or interrupt\$6) near (respon\$6)) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 13:15
-	5184	(sensor same temperature) and ((stop\$6 or halt\$6 or interrupt\$6) same (respon\$6)) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 13:15
-	7	716/\$.ccls. and (sensor same temperature) and (stop\$6 or halt\$6 or interrupt\$6) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 13:14
-	3420	(sensor same temperature) and ((stop\$6 or halt\$6 or paus\$5) same (respon\$6)) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 13:38
-	228	(sensor same temperature) and ((stop\$6 or halt\$6 or paus\$6) near (respon\$6)) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 13:15
-	223	(sensor same temperature) and ((stop\$6 or halt\$6) near (respon\$6)) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 13:15
-	12	(sensor same temperature) and ((halt\$6) near (respon\$6)) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 13:16
-	26023	((fail adj safe adf sensor) same (temperature)) and (stop\$6 or halt\$6 or interrupt\$6) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 13:37
-	1284	((fail adj safe adf sensor) same (temperature)) and (halt\$6) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 13:37

-	1	(fail adj safe adj sensor) and (temperature) and (halt\$6) and (respon\$6) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 13:41
-	3	(fail adj safe adj sensor) and (temperature) and (halt\$6 or stop\$6 or paus\$5) and (respon\$6) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/12 13:43
-	7	716/\$.ccls. and (sensor same temperature) and (stop\$6 or halt\$6 or paus\$5) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 08:49
-	8	716/\$.ccls. and (sensor and temperature) and (stop\$6 or halt\$6 or paus\$5) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 10:36
-	7	716/\$.ccls. and (sensor same temperature) and (stop\$6 or halt\$6 or paus\$5) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 08:52
-	5	716/\$.ccls. and (sensor and temperature) and (stop\$6 or halt\$6 or paus\$5) and threshold and (exceed\$6 or over) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 10:37
-	947	(integrated adj circuit) and (sensor and temperature) and (stop\$6 or halt\$6 or paus\$5) and threshold and (exceed\$6 or over) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 10:39
-	27	(integrated adj circuit) and (sensor same temperature) and (stop\$6 or halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 10:40
-	32	(integrated adj circuit) and (sensor and temperature) and (stop\$6 or halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 10:40
-	3	(integrated adj circuit) and (sensor and temperature) and (halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 10:40
-	2	(integrated adj circuit) and (sensor same temperature) and (halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 10:41
-	3	(integrated adj circuit) and (sensor) and (halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 10:41
-	6	(integrated adj circuit) and (sens\$4) and (halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 10:42
-	4	(integrated adj circuit) and (temperature same sens\$4) and (halt\$6) and (threshold adj temperature) and (exceed\$6) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/30 10:44

-	33	(integrated adj circuit) and (temperature same sens\$4) and (halt\$6 or stop\$6) and (threshold adj temperature) and (exceed\$6) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 11:13
-	4	((("5586270") or ("5359236") or ("5195827") or ("4789819"))).PN.	USPAT	2004/01/30 11:06
-	22	((integrated adj circuit) and (temperature same sens\$4) and (halt\$6 or stop\$6) and (threshold adj temperature) and (exceed\$6) and @ad<=19930921) and clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 11:14
-	32	((integrated adj circuit) and (temperature same sens\$4) and (halt\$6 or stop\$6) and (threshold adj temperature) and (exceed\$6) and @ad<=19930921) and control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 11:16
-	50	((("5838578") or ("6393374") or ("6363490") or ("6316590") or ("5805403") or ("4,432,031") or ("4,442,972") or ("4,488,824") or ("5,077,491") or ("5,291,607") or ("4,789,819") or ("5,287,292") or ("5,255,149") or ("5,560,017") or ("5,440,305") or ("5,253,938") or ("4,591,855") or ("5,025,248") or ("5,064,296") or ("4,751,405") or ("5,008,771") or ("4,807,144") or ("4,779,161") or ("4,851,987") or ("4,924,112") or ("5,105,366") or ("5,453,682") or ("4,799,176") or ("5,287,292") or ("5,451,892") or ("4,787,007") or ("4,903,106") or ("4,935,864") or ("5,087,870") or ("5,149,199") or ("5,170,344") or ("5,283,631") or ("5,325,256") or ("5,359,236") or ("5,085,526") or ("5,195,827") or ("5,586,270") or ("5,189,314") or ("5,359,234") or ("5,422,832") or ("5,483,102") or ("5,838,578") or ("5,490,059") or ("5,723,998") or ("5,485,127") or ("4,893,097") or ("5,798,667"))).PN.	USPAT	2004/06/09 07:05
-	0	intel.as. and @ad<=1993921 and (temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 07:09
-	0	((intel adj corp\$9).as.) and @ad<=1993921 and (temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 07:11
-	0	(ca.asst) and ("santa clara".asci) and @ad<=1993921 and (temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 07:13
-	0	(ca.asst) and ("santa clara".asci) and @ad<=19930921 and (temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 07:13
-	141692	sensor and @ad<=19930921 and (temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 08:01

-	15	sensor and @ad<=19930921 and (temperature) and ((intel adj corp\$9).as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/09 08:04
-	288	sensor and @ad<=19930921 and (temperature) and ((motorola).as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/09 08:04
-	11	sensor and @ad<=19930921 and (temperature) and ((advanced adj micro adj devices).as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/09 10:24
-	7	(sensor and @ad<=19930921 and (temperature) and ((advanced adj micro adj devices).as.)) and (stop\$6 or halt\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/09 08:06
-	52	(sensor and @ad<=19930921 and (temperature) and ((motorola).as.)) and (stop\$6 or halt\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/09 08:12
-	6	(sensor with (threshold adj temperature) with (stop\$6 or halt\$5)) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/09 10:27
-	13	(sensor same (threshold adj temperature) same (stop\$6 or halt\$5)) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/09 10:28
-	194	sensor and (threshold adj temperature) and (stop\$6 or halt\$5) and @ad<=19930921	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/09 11:22
-	20	(sensor and (threshold adj temperature) and (stop\$6 or halt\$5) and @ad<=19930921) and fail and safe	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/09 11:23
-	11	(sensor and (threshold adj temperature) and (stop\$6 or halt\$5) and @ad<=19930921) and (fail with safe)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/09 11:23